	L #	Hits	Search Text	DBs	Time Stamp
1	L12	473	connection adj oriented and (channel link connection) adj3 (id identifier)	USPAT	2003/06/13 13:39
2	L13	70	12 and x.25	USPAT	2003/06/13 13:42
3	L14	8	13 and creat\$3 and bind\$3	USPAT	2003/06/13 13:22
4	L15	8	13 and (establish\$4 creat\$3) and bind\$3	USPAT	2003/06/13 13:22
5	L16	718	(atm connection adj oriented) and (link\$3 connect\$3 bind\$3) with (channel link) adj3 (id identifier)	USPAT	2003/06/13 13:49
6	L17	573904	(link\$3 connect\$3 bind\$3).ab.	USPAT	2003/06/13 13:42
7	L18	45	16 and x.25 and 17	USPAT	2003/06/13 13:43
8	L19	42	18 not ("1999" "2000" "2001" "2002" "2003").ay.	USPAT	2003/06/13 13:55
9	L20	497	(atm connection adj oriented) and (associat\$3 correspon\$4 assign\$3 referenc\$3 map\$4 match\$3° bind\$3) with (channel 'link) adj3 (id identifier)		2003/06/13 13:51
10	L21	43	20 and x.25 not ("1999" "2000" "2001" "2002" "2003").ay.	USPAT	2003/06/13 14:02
11	L22	23993	709/\$\$\$	USPAT	2003/06/13 14:02
12	L23	10	21 and 22	USPAT	2003/06/13 14:02

	L#	Hits	Search Text	DBs	Time Stamp		
1	L1	56	(logic virtual) adj2 (channel connect\$3 link\$3) same x.25	USPAT	2003/06/16 08:58		
2	L2	4	1 and bind\$3	USPAT	2003/06/16 08:34		
3	L3	111	(logic virtual) near2 bind\$3	USPAT	2003/06/16 08:51		
4	L4	574	(logic virtual) near2 client	USPAT	2003/06/16 08:51		
5	L6	0	5 and x.25	USPAT	2003/06/16 08:52		
6	L5	21	3 and 4	USPAT	2003/06/16 08:52		
7	L7	О	(logic virtual) adj2 (channel connect\$3 link\$3) same x.25 same bind\$3	USPAT	2003/06/16 08:58		
8	L8	3	(logic virtual) adj2 (channel connect\$3 link\$3) same bind\$3 and x.25	USPAT	2003/06/16 08:59		
9	Ļ9	4	(logic\$2 virtual) adj2 (channel connect\$3 link\$3) same bind\$3 and x.25	USPAT	2003/06/16 09:14		
10	L10	0	((logic\$2 virtual) adj2 (channel connect\$3 link\$3) session) same bind\$3 same x.25	USPAT	2003/06/16 09:15		
11	L11.	19	session same x.25 same (bind (logic\$2 virtual) adj2 (channel connect\$3 link\$3))	USPAT	2003/06/16 09:21		
12	L12	10	bind\$3 with client with (netwrok atm switch\$3 x.25)	USPAT	2003/06/16 09:24		
13	L14	4	12 and x.25	USPAT	2003/06/16 09:36		
14	L15	104	connect\$3 near oriented same x.25	USPAT	2003/06/16 09:37		
15	L16	0	connect\$3 near oriented same x.25 same (bound bind\$3)	USPAT	2003/06/16 09:54		
16	L17	30	connect\$3 near oriented same x.25 and (bound bind\$3)	USPAT	2003/06/16 09:38		
17	L19	139	x.25 near5 (logic\$4 virtual\$2)	USPAT	2003/06/16 09:53		
18	L20	2	17 and 19	USPAT	2003/06/16 09:45		
19	L21	3526	(client user indivisual) with (own single) with (session link\$3 channel connection)	USPAT	2003/06/16 09:52		

	L#	Hits	Search Text	DBs	Time Stamp
20	L22	6	19 and 21	USPAT	2003/06/16 09:48
21	L23	41226	(own single) adj3 (session link\$3 channel connection)	USPAT	2003/06/16 10:42
22	L24	555	(x.25 near5 (logic\$4 virtual\$2) connection adj oriented) and 23	USPAT	2003/06/16 09:54
23	L25	40	(connect\$3 near oriented x.25) same (bound bind\$3)	USPAT	2003/06/16 09:57
24	L26	10	24 and 25	USPAT	2003/06/16 09:55
25	L27	83	x.25 with single	USPAT	2003/06/16 09:57
26	L28	2	26 and 27	USPAT	2003/06/16 09:57
27	L29	397	(own single) near3 (logica\$3 virtual\$3) and (x.25 connection adj oriented)	USPAT	2003/06/16 10:43
28	L30	39	(own single) near3 (logica\$3 virtual\$3) same (x.25 connection adj oriented)	USPAT	2003/06/16 10:44
29	L31	5	<pre>(client subscriber user) with (bind\$3 bound) with (x.25 connection adj oriented)</pre>	USPAT	2003/06/16 10:51
30	L32	0	<pre>(client subscriber user) with (bind\$3 bound) with (x.25 connection adj oriented) same x.25</pre>	USPAT	2003/06/16 10:52
31	L33	0	(client subscriber user) with (bind\$3 bound) with (x.25 connection adj oriented) and x.25	USPAT	2003/06/16 10:53
32	L34	0	(bind\$3 bound) with (x.25).ab. and connection adjoriented	USPAT	2003/06/16 10:53
33	L35	0	((bind\$3 bound) with (x.25)).ab. and connection adjoriented	USPAT	2003/06/16 10:55
34	L36	18	single adj3 (virtual logic\$3) same x.25	USPAT	2003/06/16 10:54
35	L37	10	36 and connection adj oriented	USPAT	2003/06/16 11:12
36	L38	127489	(connect\$3 link\$3 session channel) adj3 (logic module agent program script applet application driver)	USPAT	2003/06/16 11:09

	L #	Hits	Search Text	DBs	Time Stamp
1	L7	313	(client user customer consumer subscriber) adj3 (program script code logic application apllet) same driver same (bind\$3 conenct\$3 link\$3 channel pipe tunnel)	USPAT	2003/06/30 09:27
2	L8	8	(creat\$3 generat\$3 establish\$3) adj3 channel and connection adj oriented with (id identifier)	USPAŢ	2003/06/30 09:07
3	L9	1	(creat\$3 generat\$3 establish\$3) adj3 channel same connection adj oriented with (id identifier)	USPAT	2003/06/30 09:05
4	L10	8998	(client user customer consumer subscriber) adj3 (program script code logic application apllet) and driver and (bind\$3 conenct\$3 link\$3 channel pipe tunnel)	USPAT	2003/06/30 11:04
5	L11	417	(creat\$3 generat\$3 establish\$3) adj3 channel and (id identifier) and 10		2003/06/30 09:22
6	L12	132	(creat\$3 generat\$3 establish\$3) adj3 channel and (channel connection link\$3 pipe tunnel) adj3 (id identifier) and 10	USPAT	2003/06/30 10:04
7	L13	5	7 and 12	USPAT	2003/06/30 10:38
8	L14	64	(creat\$3 generat\$3 establish\$3) adj3 channel and (channel connection link\$3 pipe tunnel) adj3 (id identifier) and x.25	USPAT	2003/06/30 10:42
9	L15	0	7 and 12 and bind\$3	USPAT	2003/06/30 10:39
10	L16	7	14 and bind\$3	USPAT	2003/06/30 10:41
11	L17	0	14 and binding	USPAT	2003/06/30 10:41
12	<u>L</u> 18	566	10 and binding	USPAT	2003/06/30 10:41

	L #	Hits	Search Text	DBs	Time Stamp
13	L19	12	18 and (channel connection link\$3 pipe tunnel) adj3 (id identifier) and x.25	USPAT	2003/06/30 10:42
14	L20	28	(client user customer consumer subscriber) adj3 (program script code logic application apllet module) and driver and binding and (id identifier) and x.25	USPAT	2003/06/30 11:27
15	L21	0	(client user customer consumer subscriber) adj3 (program script code logic application apllet module) and driver and binding same (id identifier) and x.25	USPAT	2003/06/30 12:24
16	L22	6	(client user customer consumer subscriber) adj3 (program script code logic application apllet module) and binding same (id identifier) and x.25	USPAT	2003/06/30 12:27

	L #	Hits	Search Text	DBs	Time Stamp
37	L39	21242	(logic module agent program script applet application driver) with (id identifier)		2003/06/16 11:09
38	L40	63880	(client subscriber user) near3 (software logic module agent program script applet application driver)		2003/06/16 11:11
39	L41	4027	38 and 39 and 40	USPAT	2003/06/16 11:11
40	L42	218	38 same 39 same 40	USPAT	2003/06/16 11:11
41	L43	16	42 and x.25	USPAT	2003/06/16 11:11
42	L44	3	43 and connection adj oriented	USPAT	2003/06/16 11:12

	L #	Hits	Search Text
1	L1	3188	single adj (virtual logical emulat\$3 simulat\$3 channel) same (connection link line pipe)
2	L2	647	single adj (virtual logical emulat\$3 simulat\$3 channel) same (connection link line pipe) same (atm network isdn web internet www html http wan)
3	L3	50	single adj (virtual logical emulat\$3 simulat\$3 channel) same (connection link line pipe) same (atm network isdn web internet www html http wan).ab.
4	L4	47	3 not ("2000" "2001" "2002" "2003").ay.
5	L5	10	4 and bind\$3

	L #	Hits	Search Text	
1	L1	1173	single adj3 (virtual logical channel) with (connection link)	
2	L2	324	and (connection adj oriented x25 x.25 atm)	
3	L3	11	2 and binding	
4	L4	146	single adj3 (virtual logical channel) with (connection link) with only	
5	L5	46	4 and (connection adj oriented x25 x.25 atm)	

	L #	Hits	Search Text	
1	L18	18	(x25 x.25) and (client user remote\$2) adj5 (creat\$3 generat\$3 establish\$4) with (channel connection link\$3) with (id identifier)	
2	L19	2	18 and connection adj oriented	
3	L20	2	8 and (channel link connection) adj3 (id dentifier)	
4	L21	1	l8 and forward\$3 adj3 (data information parameter)	
5	L22	0	18 and forward\$3 adj3 (data information parameter) same (id identifier)	
6	L23	0	18 and forward\$3 adj3 (data information parameter) same (id identifier)	
7	L24	5	18 and (transparent\$2 trnasfer\$4 trnasmi\$4 forward\$3 send\$3 ) with (data information parameter) same (id identifier)	

.